Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



PLANT A VICTORY GARDEN WITH CAMPBELL QUALITY SEEDS

CAMPBELL'S

KITCHEN GARDEN SEEDING AND PLANTING TABLE

FOR CALIFORNIA

					7 A 3 1 13	0 107		
Name of Vegetable	Seeds Required for .		Depth to sow Seeds	Distance	Ready for use from seed			
	100 Ft. Row	One Acre	outdoors	In Rows	Rows Apart	in about		
Artichoke	I oz.	6 ozs.	I in.	2 ft.	3 to 4 ft.	8 mos.		
Asparagus	2 1/2 OZS.	4 1bs.	I in.	I to 2 ft.	3 to 4 ft.	3 to 4 yrs.		
*Beans, Bush		75 lbs.	2 ins.	6 in.	2 ft.	45 to 65 days		
*Beans, Pole		25 lbs.	2 ins.	зft.	4 ft.	65 to 90 "		
Beet, Table		5 lbs.	½ in.	4 in.		60 to 75 "		
Beet, Mangel		5 1bs.	1/2 in.	8 in.	2 to 21/2 ft.	150 "		
Broccoli		2 ozs.	1/2 in.	2 ft.	2½ ft.	120 "		
BrusselsSprouts		2 ozs.	½ in. ½ in.	2 ft.	2 ft.	100 to 120 "		
Cabbage, Early		6 ozs.	1/2 in.	18 in.	2½ ft.	100 to 120 "		
Cabbage, Late		6 ozs.	1/2 in.	2½ ft.	3 ft.	125 to 180 "		
Carrot		3 to 4 lbs.	½ in.	4 in.	1½ to 2 ft	75 to 120 "		
Cauliflower	1	1/2 lb.	½ in.	2 ft.	2½ ft.	100 to 135 "		
-	3	2 ozs.	½ in.	6 in.	3 to 4 ft.	125t o 150 "		
Celery Corn-Salad		1	½ in.	4 in.	12 to 18 in.	65 "		
	3 ozs.	15 lbs.	72 in. I in.	3 ft.	4 ft.	50 to 100 "		
*Corn, Sweet				I in.	τft.			
Cress	I Oz.	2 to 3 lbs.		4 ft.	4 ft.	30 " 60 to 85 "		
*Cucumber	I oz.	2 lbs.	I in.			150 to 160 "		
*Egg-Plant	, -	4 Ozs.	1/3 in.	2½ ft.	3 ft.			
Endive		4 lbs.	½ in.	I ft.	1½ ft.	50 to 75		
Herbs	I OZ.	• • • • • • • • • • • • • • • • • • • •	½ in.	6 in.	2 ft.	60 to 100 "		
Kale	1/3 OZ.	2 ozs.	½ in.	2 ft.	2½ ft.	100 to 120 "		
Kohlrabi	/5	4 lbs.	½ in. ⅓ in.	6 in.	1½ ft.	1/3		
Leek	I Oz.	4 lbs.	/3 In.	6 in.	1 ½ ft.	120 to 160 "		
Lettuce	I OZ.	3 lbs.	¼ in.	I ft.	1½ ft.	65 to 100 "		
*Melons, Musk.		2 to 3 lbs.	I in.	4 ft.	5 ft.	115 to 140 '		
*Melons, Water		4 lbs.	1½ in.	8 ft.	8 ft.	120 to 140 "		
Okra	2 Ozs.	10 lbs.	I in.	1½ ft.	2 ft.	90 to 125 "		
Onion		5 to 6 lbs.	1/3 in.	3 in.	σft.	135 to 150 "		
Onion Sets	1½ lbs.		Cover	2 in.	1½ ft.	30 to 40 "		
Parsley	I OZ.	3 to 5 lbs.	¼ in.	4 in.	1½ ft.	100		
Parsnip	I oz.	3 to 5 1bs.	1/3 in.	6 in.	1½ ft.	125 to 150 "		
Peas	ı lb.	100 lbs.	1½ in.	2 in.	2 to 4 ft.	45 to 75 "		
*Pepper	1/8 Oz.	$\frac{1}{2}$ lb.	½ in.	2 ft.	2 ft.	140 to 150 "		
Potato, cut		7 to 10 bu.	5 ins.	I ft.	2½ ft.	80 to 140 "		
*Pumpkin	ı pkt.	4 lb.	1 1/2 in.	8 ft.	8 ft.	100 to 120 "		
Radish	2 ozs.	S to 10 lbs.	½ in.	2 to 4 in.	1½ ft.	20 to 50 "		
Salsify	2 ozs.	8 lbs.	½ in.	6 in.	1½ ft.	125 to 150 "		
Spinach	2 ozs.	10 lbs.	½ in.	4 in.	15 in.	30 to 60 "		
*Ŝquash, Bush	10z.50 hills	4 lbs.	- ½ in.	3 ft.	4 ft.	60 to 75 "		
*Squash, Late			1½ in.	7 ft	8 ft.	100 to 125 "		
Swiss Chard		5 lbs.	½ in.	8 in.	1½ ft.	60 to 75 "		
*Tomato,	ı pkt.	2 to 4 ozs.	1/3 in.	4 ft.		100 to 125 "		
Turnip		2 lbs.	½ in.	6 in.	ı ft.	60 to 75 "		
-			/-			10		

Those marked with a star (*) are not safe to set outside from October to March inclusive. Essentials: Loose soil, even surface, thorough careful watering, rows north and south.

"THE BEST SEEDS FOR THE BEST CLIMATE"

CAMPBELL SEED STORE

148 W. COLORADO STREET

Phone Colorado 2148

PASADENA, CALIFORNIA

CAMPBELL SEED STORE FLOWER SOWING TABLE FOR CALIFORNIA GARDENS

Compiled by WM. NEIL CAMPBELL

Seeds for One Seeson (Annuals) TIME TO SOW									Quantity fo				
Seeds for One Season (Annuals)	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	a 10 ft. line sown outsid
Hardy-such as Candytuft	_	o	0	_		_		ob	oh	ob	-	_	2 pkts
Half-hardy—such as Cosmos	••••	b	ob	0	0	0		ob	ob	ob	1	• • • • •	* -
Tender—such as Cockscomb		h	-	0 b	0 h	0	0	OD	OD	00	• • • • •		I pkt.
ster			h	b	b	b		·			•••••	• • • • •	I pkt.
alendula	h	h	b	b	0	0		ob	ob	Oi			2 pkts
alliopsis	0	0	0	0	0	0	0	0	0	0	0	0	2 pkts
antours (Court College)	•••••	ob	0	0	0	0	0	• • • • •	••••		• • • • •	•••••	ı pkt.
entaurea (Sweet Sultans)	••••	0	0	0	0	••••	• • • • •	0	0	0			ı pkt.
hrysanthemum (Daisy)		0	0	0	(b)	O					• • • • • •		2 pkts
haeraria hybrida	••••	h	lı	op	ob.	0			• • • • •		•• ••	0	ı pkt.
sch scholtzia (Calif. Poppy)	0	0	0	Q	О	0		0	0	0	0	0	2 pkts
arkspur (Rocket)	0	0	0	0	0	0			0	0	0	0	ı pkt.
inum		0	0	0	0			0	О	0			ı pkt.
obelia	h	h l	ь	ь	b	b		ь	b	b			I pkt.
Iarigold	b	ь	o	0	0								2 pkts
Tignonette	0	0	0	0	0	0	b	Ъ	0	0	0		2 pkts
lasturtium	0	0	Q	0	o	0	0	0	0	0	0	0	I oz.
ansy							ь	Ъ	Ъ	b			2 pkts
hlox Drummondi			ob	ob	ob	ob							1/4 OZ.
oppy, Shirley, Tulip, etc	0	0	0	0		0.0			0	0	0	О	I pkt.
alpiglossis	0	o	o	0	0	0	0	0	o	0	1	1	- 7.1-4
cabiosa				1			10	`			:		. •
tock, 10 weeks		Q L	0	0	0			b	b				2 pkts
most Poor	þ	p	р	p	b	р	р	þ	b		,		3 pkts
weet Peas	0	0	0	0	0	0	0	0	0	0	0	0	I OZ.
innias	• • • • •	0	0	0	0	••••	b	b	b	• • • • • •	•••••		I pkt.
eeds for more than one season													
(Perennials and Biennials)												İ	•
lardy—such as Columbine			О	0	О			ob	ob	ob			ı pkt.
Ialf-hardy—such as Impatiens			ob	ob	ob			b	ь	b			I pkt.
ender—such as Coleus			h	h	h							,	ı pkt.
ntirrhinum (Snapdragon)	b	b	b	ob	ob	ob	ob	ob	ob	ob			ı pkt.
ellis (English Daisy)		ob	ob	ob	0	0	0	o	ob	ob			ı pkt.
ampanula (Canterbury Bell)			0	0	0			ob	ob				ı pkt.
anna		b	b	0	0								I oz.
arnation (Marguerite)	b	b	b	b	0	0	0	0	ob	ob	ob	ob	4 pkts
entaurea (Dusty Miller)			b	b	b			_	0		0.0		1/8 oz.
oreopsis lanceolata	οb	ob	ob	ob	ob	ob	ob	ob	оb	oh	ob	_	ı pkt.
yclamen	0.0	0.5	OB	Ob	7	h	h	h	h	h	1		I pkt.
Pahlia	h	Ъ	oh.		••••						• • • • •		a mleta
vianthus (Pinks)	U		0b	0	0	0	0	0	• • • • •	••••		•••••	3 pkts
Vigitalia (Floralova)	•••••	1)	Ъ	0	0	0			····		• • • • • •	•••••	I pkt.
oigitalis (Foxglove)			0	0	0	••••	• • • • •	ob	ao		• • • • • • • • • • • • • • • • • • • •		ı pkt.
aillardia			ob	ob	op	• • • • •	•••••		•••••		••••		2 pkts
ladiolus			0	0	0				• • • • •				ı pkt.
[cliotrope			h	p i	b	b		••••			••••		I pkt,
[ollyhock			0	0	0			ob	ob	ob			3 pkts
Iunnemannia			0	0				0	0				2 pkts
Iyosotis (Forget-me-not)			0	0	0			- 1					ı pkt.
entstemon					- 1	- 1			Ь				3 pkts
etunia		b	b	b	0	0	0	0	~	~			ı pkt.
oppy, Iceland and Oriental	••••		0	0	0	~	٦	o	0	0			ı pkt.
rimrose, Chinese and Obconica				h	h		Ъ	Ď		U	• • • • •		ı pat.
		h	Ъ	-	1		Ъ	Ь	1	1 ₂	1,	1,	T +1-+
yrethrum (Golden Feather)		p	b	b	b	b		- 1	b	b	b	b	I pkt.
yrethrum roseum hybridum		•••••	op	op	ob			b	b	b	• • • • •		I pkt.
Rudbeckia		-;	0	o	0			op	ob	ob	••••		2 pkts
alvia splendens		h	h	op	o b	ob		þ	þ				2 pkts
unflower			0	0	О			ob.	op		••••		2 pkts
Sweet William			О	0	.)		ob	ob		ob			ı pkt.
Terbena	b	b	0	0	a			ob	do.	do			⅓ oz.
inca	h	1.	11	b	b		l						i pkt.

EXPLANATION OF LETTER IN COLUMN OF TABLE FOR EACH MONTH:

- o = outside. Sow seed where plants are to remain, thin out to proper distance.
- b=box. Sow in seed bed or box where protection can be given if necessary, transplant when one or two inches tall to open ground.
- ob. Sow preferably in seed bed or box and transplant, but may also be sown where plants are to remain.
- n = house. Sow in box or seed pan in greenhouse or light room warm night and day or else cover box with light of glass at night and during storm; transplant when third leaf is developing, harden off gradually and plant out when weather is settled.